

# PacRite® Fungaflo 500 EC

## POSTHARVEST

### An Emulsifiable Concentrate for Postharvest Treatment of Citrus Fruit



#### ACTIVE INGREDIENTS: (w/w)

IMAZALIL: 1-(2-(2,4-dichlorophenyl)-2-(2-propenyloxy)ethyl)-1H-imidazole\* . . . 44.6%

INERT INGREDIENTS: (w/w) . . . . . 55.4%

Total . . . . . 100.0%

Contains 4.17 lbs. active ingredient/gal.

EPA Reg. No. 43813-6-64864

EPA Est. No. 64864-WA-1

#### DANGER PELIGRO KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail)

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist. Prolonged or repeated skin contact may cause allergic reactions in some individuals.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.</li></ul>
If in eyes	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
If on skin or clothing	<ul style="list-style-type: none"><li>• Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
If inhaled	<ul style="list-style-type: none"><li>• Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible</li><li>• Call a poison control center or doctor for further treatment advice</li></ul>

#### HOT LINE NUMBER:

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378. For chemical emergency assistance (spill, leak, fire, or accident), call Chem Trec at 1-800 424-9300.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

All mixers, loaders, applicators, and other handlers must wear:

- Protective eyewear
- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves, except for bag sewers, seed planters, truck drivers, and sorters.
- Chemical resistant apron when mixing/loading, cleaning up spills, cleaning equipment, or otherwise exposed to the concentrate.

Some materials that are chemical-resistant to this product are butyl rubber, nitrile rubber, neoprene rubber, PVC, viton, or barrier laminate. If you want more options, follow the instructions for Category C on an EPA chemical-resistance category selection chart.

#### USER SAFETY REQUIREMENTS:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.  
Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.  
User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This chemical is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from the treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment wash waters or rinsate. Apply this product only as specified on the label.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been

notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest Regional Office for guidance.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container.

Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

#### Application Restrictions for Citrus Drench:

Do not enter or allow others to enter the treatment area until the citrus is treated and completely drained. The windows and doors of the transport vehicle must be closed prior to and during treatment.

**Citrus Fruits:** Intended for post-harvest control of *Penicillium digitatum* (green mold), *Penicillium italicum* (blue mold), *Diaporthe citri* (phomopsis stem end rot), *Diplodia natalensis* (diplovia rot) and *Alternaria citri* on citrus fruits.

Used as directed, FUNGAFLO 500EC has curative and preventative action as well as antispore properties.

#### DOSE RECOMMENDATIONS:

**In dips, wash tanks, and drenchers:** Apply FUNGAFLO 500EC at rates of 12.8-19.2 fl. oz. per 100 gallons water (500-750 ppm active ingredient). The treatment solutions should be inspected periodically to insure the proper concentration of active ingredient. Length of dip time should not exceed two minutes.

**In non-recovery spray:** Apply FUNGAFLO 500EC at 25.5 fl. oz. per 100 gal water (1000 ppm a.i.). Apply to freshly-cleaned citrus immediately prior to waxing.

**For water spray brush application:** After washing, apply FUNGAFLO 500EC at 25.5 fl. oz. per 100 gal water (1000 ppm a.i.). Apply prior to storage wax application.

**In citrus wax:** Apply 51.1 fl. oz. of FUNGAFLO 500EC to 100 gal of citrus wax (2000 ppm a.i.). Use without further dilution in conventional waxing equipment.

**Remark 1:** Combinations of above-listed treatments are possible, but never more than two treatments should be carried out on the same citrus lot.

**Remark 2:** In waxes, sporulation control can be obtained, at the rate of 102.2 fl. oz. FUNGAFLO 500EC per 100 gallons citrus wax or diluted "ready to use" detergent material (4000 ppm a.i.). When this dilution is used, combinations of treatments are not allowed.

**Remark 3:** AFTER DILUTION OF FUNGAFLO 500EC IN WAX, STIR THOROUGHLY FOR AT LEAST 15 MINUTES WITH A MIXING DEVICE AT 1500 PPM.

#### NOTICE OF WARRANTY

Pace International, LLC warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application other than as specified on the label, all of which are beyond the control of Pace International. To the extent permitted by law, Pace International disclaims any liability for consequential, special or indirect damages resulting from the use or handling of this product. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, PACE INTERNATIONAL MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Fungaflo is a registered trademark of Janssen Pharmaceutica N.V.

\*Active ingredient and formulation are manufactured by Janssen Pharmaceutica NV, B-2340 Beerse, Belgium 052409EPA

#### Net Contents:

55 gallons (208 Liters)



Distributed By:

**Pace International** LLC

5661 Branch Road, Wapato, WA 98951 800.936.6750 www.paceintl.com