

SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: Tri-Circ
Product Code: 10409
Product Use: Mineral Deposit Remover
Product Restrictions: For Agriculture Use Only
Supplier: Pace International, LLC
Address: 5661 Branch Road, Wapato, WA 98951
Phone Number: 800-936-6750 (Monday-Friday, 7:00 a.m. – 4:00 p.m.)
Medical Emergency Phone Number: 888-271-4649 (PROPHARMA/PROSAR)
Transportation Emergency Phone Number: 800-424-9300 (CHEMTREC)

2. HAZARDS IDENTIFICATION

GHS Classification in accordance with 29 CFR 1910 (2012 OSHA Hazard Communication Standard)
This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification:
Physical, CORROSIVE Liquid Category 1
Health Hazards,
Skin irritation, Category 1
Eye irritation, Category 1
Environmental Hazards, Not classified

Hazard Symbols:



Signal Word:
DANGER

Hazard Statements:
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.

Other Hazards:
Hazard(s) not otherwise classified (HNOC):
Supplemental information

Precautionary Statements:

Prevention Statements:
P234 Keep only in original container
P260 Do not breathe mists, vapors or spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective clothing, safety goggles or face shield and chemical resistant gloves.

Response Statements:
P301/330/331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303/361/353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water, shower.
P363 Wash contaminated clothing before reuse.
P304/340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310 Immediately call a POISON CENTER or doctor for medical advice.
P321 Specific treatments see Section 4 First Aid Measures.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor for medical advice.

Storage Statements:
P406 Store in corrosive resistant container with a resistant inner liner.
P405 Store locked up.

Disposal Statements:
P501 Dispose of contents/container should be made in accordance with applicable regional, national and local laws and regulations.
None known.
None known.

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	<u>CAS #</u>	<u>Concentration (w/w %)</u>
Phosphoric Acid	7664-38-2	5 - 10 *
Sulfuric Acid	7664-93-9	5 - 10 *
Citric Acid	77-92-9	3 - 7 *
Hydrochloric Acid	7647-01-0	1 - 5 *
Sulfuric Acid, mono (2-ethylhexyl) ester sodium salt	126-92-1	1 - 5 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

***Composition comments**

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.



4. FIRST AID MEASURES

General Advice:	Have the product container, label or Safety Data Sheet with you when calling a poison control center or physician or going for treatment. You may also contact PROPHARMA (PROSAR) 1-888-271-4649 for emergency medical treatment information.
If on Skin (or hair):	Take off immediately all contaminated clothing. Rinse skin with soap and water, shower. Wash contaminated clothing before reuse.
If in Eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor for medical advice.
If Swallowed:	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor for medical advice. Do not give anything by mouth to an unconscious person.
If Inhaled:	Move person to fresh air. Immediately call a POISON CENTER or doctor for medical advice.
Most important Symptoms / effects, acute and delayed:	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of any immediate medical attention and special treatment needed:	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions:	Move containers from fire area if you can do so without risk.
Specific methods:	Use standard firefighting procedures and consider the hazards of other involved materials.
Hazardous combustion products:	May include and are not limited to: Oxides of carbon. Oxides of phosphorus. Oxides of sulfur.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist, vapor, or spray. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up:	Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for



later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions:

Avoid discharge into drains, water courses or onto the ground. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

7. HANDLING & STORAGE

Precautions for safe handling:

Do not breathe mist, vapor, or spray. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment (see Section 8 of the SDS). Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When handling this material do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities:

Do not store below 45°F (7°C). Keep in original container. Keep container upright to prevent leakage and to avoid release into environment. Product may be corrosive to metals: store in a corrosion resistant container with a resistant inner liner. Absorb any spillage to prevent material damage. Collect spillage. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7mg/m ³ 5 ppm
Phosphoric acid (CAS 7664-38-2)	PEL	1mg/ m ³
Sulfuric acid (CAS 7664-93-9)	PEL	1mg/ m ³

US. ACGIH Threshold Limit Values

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm
Phosphoric acid (CAS 7664-38-2)	STEL	3 mg/ m ³
	TWA	1 mg/ m ³
Sulfuric acid (CAS 7664-93-9)	TWA	0.2 mg/ m ³
		Thoracic fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/ m ³ 5 ppm
Phosphoric acid (CAS 7664-38-2)	STEL	3 mg/ m ³
	TWA	1 mg/ m ³
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/ m ³

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Methanol (CAS 67-56-1) Can be absorbed through the skin.

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical goggles, safety glasses or face shield. Eye fountain and washing facilities should be available.

Skin protection

Hand protection

Wear impervious gloves. Confirm with reputable supplier first.

Other

Wear appropriate chemical resistant clothing. As required by employer code. Use of protective clothing (long sleeve shirt and pants).

Respiratory protection

Not normally required if good ventilation is maintained. Where exposure



Thermal hazards	guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134). Not applicable.
General hygiene considerations	Use good industrial hygiene practices in handling this material. When using do not eat, drink, or smoke. Wash thoroughly after handling. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL & CHEMICAL PROPERTIES

Physical state:	Liquid	Upper/Lower flammability limits:	Not available
Appearance:	Clear colorless	Vapor pressure:	Not available
Odor:	Semi-sweet, licorice	Vapor density: (air =1)	Not available
Odor threshold:	Not available	Specific Gravity: (H₂O = 1)	1.14
pH:	2.2 (1% solution)	Solubility:	Miscible in water
Melting/Freezing point:	Not available	Partition coefficient (n-octanol-water):	Not available
Pour Point:	Not available	Auto-ignition temperature:	Not available
Initial boiling point and boiling range:	Not available	Decomposition temperature:	Not available
Flash point:	Not available	Viscosity:	Not available
Evaporation rate:	Not available	Explosive properties:	Not explosive
Flammability (solid, gas):	Not applicable	Oxidizing properties:	Not oxidizing

10. STABILITY & REACTIVITY

Reactivity hazards:	May be corrosive to metals. This product may react with strong oxidizing agents.
Possibility of hazardous reactions:	No dangerous reaction known under conditions of normal use.
Chemical stability:	Material is stable under normal conditions.
Conditions to avoid:	Do not mix with other chemicals.
Incompatible materials:	Strong oxidizing agents. Metals.
Hazardous decomposition products:	May include and are not limited to: Oxides of carbon. Oxides of phosphorus. Oxides of sulfur.

11. TOXICOLOGICAL INFORMATION

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.	
Information on likely routes of exposure		
Ingestion	Causes digestive tract burns. May cause stomach distress, nausea or vomiting.	
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Causes severe skin burns.	
Eye contact	Causes serious eye damage.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
Information on toxicological effects		
Acute toxicity		
Components	Species	Test results
Citric Acid (CAS 77-92-9)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Not available	
Oral		
LD50	Mouse	5400 mg/kg, ECHA
	Rat	5040 mg/kg, HSDB
		11700 mg/kg, ECHA
		6730 mg/kg, HSDB
Components	Species	Test results



Hydrochloric acid (CAS 7647-01-0)

Acute

Dermal

LD50 Mouse 1449 mg/kg, HSDB

Inhalation

LC50 Mouse

13745 ppm, 5 Minutes, ECHA
2644 ppm, 5 Minutes, ECHA
1108 ppm, 1 Hours, RTECS
16.5 mg/L, 5 Minutes, ECHA
3.2 mg/L, 5 Minutes, ECHA
40989 ppm, 5 Minutes, ECHA
4701 ppm, 5 Minutes, ECHA
3124 ppm, 1 Hours, HSDB
2810 ppm, 1 Hours
1405 ppm, 4 Hours
45.6 mg/L, 5 Minutes, ECHA
8.3 mg/L, 5 Minutes, ECHA

Oral

LD50 Rabbit 900 mg/kg, HSDB

Rat

238 - 277 mg/kg, HSDB

Components

Species

Phosphoric acid (CAS 7664-38-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, ECHA

Inhalation

LC50 Guinea pig, Mouse, Rabbit, Rat

2740 mg/kg, RTECS
5337 mg/m³, 1 Hours, ECHA
3846 mg/m³, 1 Hours, ECHA
1689 mg/m³, 1 Hours, ECHA
1217 mg/m³, 1 Hours, ECHA
856 mg/m³, 1 Hours, ECHA
271 mg/m³, 1 Hours, ECHA
193 mg/m³, 1 Hours, ECHA
61 mg/m³, 1 Hours, ECHA

Oral

LD50 Rat 1530 mg/kg, RTECS

1.7 ml/100g, ECHA

Components

Species

Sulfuric acid, mono(2-ethylhexyl) ester, sodium salt (CAS 126-92-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Rat

> 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Not available

Oral

LD50 Guinea Pig 1300 mg/kg, HSDB

Mouse

1550 mg/kg, HSDB

Rabbit

3580 mg/kg, HSDB

Rat

7570 mg/kg, ECHA

2840 mg/kg

4 g/kg, HSDB

Components

Species

Sulfuric acid (CAS 7664-93-9)

Acute

Dermal

LD50 Not available

Inhalation

LC100 Guinea pig, Mouse, Rabbit, Rat

Guinea Pig

0.1 mg/L, 2.75 Hours, ECHA

> 0.1 mg/L, 8 Hours, ECHA

0.1 mg/L, 8 Hours, ECHA

0 mg/L, 8 Hours, ECHA/HSDB

0 mg/L, 8 Hours, ECHA/HSDB

1.6 mg/L, 2.75 Hours, ECHA

Guinea pig, Mouse, Rabbit, Rat

Mouse

0.9 mg/L, 1 Hours, ECHA

0.6 mg/L, 1 Hours, ECHA

Mouse, Rat

0.5 mg/L, 2 Hours, ECHA



	Rat	0.3 mg/L, 2 Hours, ECHA 375 mg/m3, 1 Hours, ECHA
	Various	347 mg/L, 1 Hours 1610 mg/m3, ECHA 1470 mg/m3, ECHA 420 ppm, ECHA 347 ppm, ECHA 109 mg/m3, ECHA 50 mg/m3, ECHA 30.3 mg/m3, ECHA 18 mg/m3, ECHA
<i>Oral</i> LD50	Rat	2140 mg/kg, CCOHS
Skin corrosion/irritation:	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation:	Causes serious eye damage.	
Respiratory or Skin sensitization:	Not a respiratory sensitizer. This product is not expected to cause skin sensitization.	
ACGIH sensitization	Formaldehyde (CAS 50-00-0)	Dermal sensitization Respiratory sensitization
Germ cell mutagenicity:	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic	
Carcinogenicity:	See below. There is sufficient evidence that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic.	
ACGIH Carcinogens	Formaldehyde (CAS 50-00-0)	A1 Confirmed human carcinogen.
	Sulfuric acid (CAS 7664-93-9)	A2 Suspected human carcinogen.
IARC Monographs. Overall Evaluation of Carcinogenicity	Formaldehyde (CAS 50-00-0)	Volume 88, Volume 100F 1 Carcinogenic to humans.
	Hydrochloric acid (CAS 7647-01-0)	Volume 54 - 3 Not classifiable as to carcinogenicity to humans.
	Sulfuric acid (CAS 7664-93-9)	Volume 54, Volume 100F 1 Carcinogenic to humans.
US - California Proposition 65 - CRT: Listed date/Carcinogenic substance	Formaldehyde (CAS 50-00-0)	
	Sulfuric acid (CAS 7664-93-9)	
US NTP Report on Carcinogens: Known carcinogen	Formaldehyde (CAS 50-00-0)	Known to Be Human Carcinogen.
	Sulfuric acid (CAS 7664-93-9)	Known to Be Human Carcinogen.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Formaldehyde (CAS 50-00-0)	Cancer
Reproductive toxicity:	This product is not expected to cause reproductive or developmental effects.	
Teratogenicity:	Not available.	
Specific target organ toxicity - single exposure:	Not classified.	
Specific target organ toxicity - repeated exposure:	Not classified.	
Aspiration hazard:	Not an aspiration hazard.	
Chronic effects:	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	

12. ECOLOGICAL INFORMATION

Ecotoxicity	See below		
Ecotoxicological data			
Components		Species	Test results
Citric Acid (CAS 77-92-9)			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	120 mg/L, 72 hr.
Aquatic			
<i>Acute</i>			
Fish	LC50	Bluegill (Lepomis macrochirus)	1516 mg/L, 96 hr.



Hydrochloric acid (CAS 7647-01-0)

Aquatic

Fish LC50 Western mosquitofish (*Gambusia affinis*) 282 mg/L, 96 hours

Phosphoric acid (CAS 7664-38-2)

Aquatic

Acute

Crustacea LC50 Water flea (*Daphnia magna*) 4.6 mg/L, 12 hr.

Fish LC50 Mosquitofish (*Gambusia affinis affinis*) 3 - 3.5 mg/L, 96 hr.

Sulfuric acid (CAS 7664-93-9)

Aquatic

Fish LC50 Western mosquitofish (*Gambusia affinis*) 42 mg/L, 96 hours

Persistence/ degradability: No data is available on the degradability of this product.

Bioaccumulative potential:

Mobility in soil: No data available.

Mobility in general: Not available.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal methods: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations: Dispose of in accordance with local regulations.

Hazardous waste code D002: Waste Corrosive material [pH <=2 or >=12.5, or corrosive to steel]

Waste from residues / unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

UN number: UN3264

Proper shipping name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Sulfuric Acid, Phosphoric acid)

Hazard class(es): 8

Packing group: II

Special provisions 386, B2, IB2, T11, TP2, TP27

Packaging exceptions 154

Packaging non-bulk 203

Packaging bulk 241

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed

Hydrochloric acid (CAS 7647-01-0) Listed

Methanol (CAS 67-56-1) Listed

Phosphoric acid (CAS 7664-38-2) Listed

Sulfuric acid (CAS 7664-93-9) Listed

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Formaldehyde (CAS 50-00-0) 100 lbs.

Hydrochloric acid (CAS 7647-01-0) 5000 lbs.

Sulfuric acid (CAS 7664-93-9) 1000 lbs.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer
Skin sensitization
Respiratory sensitization



Superfund Amendments and Reauthorization Act of 1986 (SARA)	Hazard Categories	Eye irritation Skin irritation respiratory tract irritation Acute toxicity Flammability Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--	-------------------	--

SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	Not regulated.

Chemical name	CAS number	% by wt.
Hydrochloric acid	7647-01-0	1 – 5*
Sulfuric acid	7664-93-9	5 – 10*

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)
Hydrochloric acid (CAS 7647-01-0)
Methanol (CAS 67-56-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)
Hydrochloric acid (CAS 7647-01-0)
Sulfuric acid (CAS 7664-93-9)

US STATE REGULATIONS

US - California Hazardous Substances (Director's): Listed substance

Formaldehyde (CAS 50-00-0)	Listed
Hydrochloric acid (CAS 7647-01-0)	Listed
Methanol (CAS 67-56-1)	Listed
Phosphoric acid (CAS 7664-38-2)	Listed
Sulfuric acid (CAS 7664-93-9)	Listed

US - Illinois Chemical Safety Act: Listed substance

Formaldehyde (CAS 50-00-0)	Listed
Hydrochloric acid (CAS 7647-01-0)	Listed
Methanol (CAS 67-56-1)	Listed
Phosphoric acid (CAS 7664-38-2)	Listed
Sulfuric acid (CAS 7664-93-9)	Listed

US - Louisiana Spill Reporting: Listed substance

Formaldehyde (CAS 50-00-0)	Listed
Hydrochloric acid (CAS 7647-01-0)	Listed
Methanol (CAS 67-56-1)	Listed
Phosphoric acid (CAS 7664-38-2)	Listed
Sulfuric acid (CAS 7664-93-9)	Listed

US - Minnesota Haz Subs: Listed substance

Formaldehyde (CAS 50-00-0)	Listed
Hydrochloric acid (CAS 7647-01-0)	Listed
Methanol (CAS 67-56-1)	Listed
Phosphoric acid (CAS 7664-38-2)	Listed
Sulfuric acid (CAS 7664-93-9)	Listed

US - New Jersey RTK - Substances: Listed substance

Formaldehyde (CAS 50-00-0)	Listed
Hydrochloric acid (CAS 7647-01-0)	Listed
Methanol (CAS 67-56-1)	Listed
Phosphoric acid (CAS 7664-38-2)	Listed
Sulfuric acid (CAS 7664-93-9)	Listed

US - North Carolina Toxic Air Pollutants: Listed substance

Formaldehyde (CAS 50-00-0)	Listed
Hydrochloric acid (CAS 7647-01-0)	Listed
Sulfuric acid (CAS 7664-93-9)	Listed



US - Pennsylvania RTK - Hazardous Substances: Special hazard

Formaldehyde (CAS 50-00-0)

US - Texas Effects Screening Levels: Listed substance

Citric Acid (CAS 77-92-9) Listed
Formaldehyde (CAS 50-00-0) Listed
Hydrochloric acid (CAS 7647-01-0) Listed
Methanol (CAS 67-56-1) Listed
Phosphoric acid (CAS 7664-38-2) Listed
Sulfuric acid (CAS 7664-93-9) Listed

US - Washington Chemical of High Concern to Children: Listed substance

Formaldehyde (CAS 50-00-0)

US. Massachusetts RTK - Substance List

Formaldehyde (CAS 50-00-0)
Hydrochloric acid (CAS 7647-01-0)
Methanol (CAS 67-56-1)
Phosphoric acid (CAS 7664-38-2)
Sulfuric acid (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

Formaldehyde (CAS 50-00-0)
Hydrochloric acid (CAS 7647-01-0)
Methanol (CAS 67-56-1)
Sulfuric acid (CAS 7664-93-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Formaldehyde (CAS 50-00-0)
Hydrochloric acid (CAS 7647-01-0)
Methanol (CAS 67-56-1)
Phosphoric acid (CAS 7664-38-2)
Sulfuric acid (CAS 7664-93-9)

US. Rhode Island RTK

Formaldehyde (CAS 50-00-0)
Hydrochloric acid (CAS 7647-01-0)
Methanol (CAS 67-56-1)
Phosphoric acid (CAS 7664-38-2)
Sulfuric acid (CAS 7664-93-9)

US. California Proposition 65



WARNING: This product can expose you to chemicals including Formaldehyde and Sulfuric acid which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988
Sulfuric acid (CAS 7664-93-9) Listed: March 14, 2003

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. OTHER INFORMATION

HMIS Ratings:

Health – 3

Flammability – 0

Reactivity – 0

NFPA Ratings:



The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at



the time of preparation of the SDS. However, Pace International, LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, neither Pace International, LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. It is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Pace International, LLC to confirm that you have the most current product label and SDS.

This Safety Data Sheet (SDS) may provide more information than the product label but does not replace or modify the product labeling (attached to and accompanying the product container). The product SDS and the product label both provide consistent and important health, safety, and environmental information as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom"). This requirement covers employers, employees, emergency responders, users and others handling the product. All necessary hazard classification and appropriate precautionary, use, storage, and disposal information is set forth on the labeling and the SDS.

SDS preparation date: January 30, 2019 **Replaces MSDS dated:** May 26, 2015
Changes since last All sections have had major changes **Version:** 2
revision:

