



PacRite® Fungaflor 75 WSG

P O S T - H A R V E S T

Water Soluble Granule for Post-Harvest Treatment of Citrus Fruits

Active Ingredient: (w/w)

IMAZALIL SULFATE:

1-(2-2,4-dichlorophenyl)-2-(2-propenyloxy)-ethyl)-1H-imidazole sulfate* 100%

(*Equivalent to 75% imazalil base)

EPA Reg. No. 43813-26-64864

EPA Est. No. 64864-WA-1

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

FIRST AID

If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378. For chemical emergency assistance (spill, leak, fire, or accident), call Chem Trec at 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER / PELIGRO

Corrosive. Causes irreversible eye damage. May be fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Do not breathe dust.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

For handling activities, wear goggles or face shield, long-sleeved shirt and long pants, shoes, socks, chemical resistant gloves made of any waterproof material, such as natural rubber, polyethylene, PVC, neoprene rubber, nitrile rubber, or butyl rubber, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NOISH-approved respirator with any N, P, R or HE filter.

USER SAFETY RECOMMENDATIONS

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place in the original container away from food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

35 oz. (1 kg)

UN3077, Environmentally hazardous substance, solid, n.o.s. (imazalil sulfate), 9, PG III



Manufactured By:

Pace International LLC

5661 Branch Road, Wapato, WA 98951 800.936.6750 www.paceint.com

PacRite® Fungaflor 75 WSG

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Intended for post-harvest control of *Penicillium digitatum* (green mold), *Penicillium italicum* (blue mold), *Diaporthe citri* (phomopsis stem end rot), *Diplodia natalensis* (diplodia rot) and *Alternaria citri* on citrus fruits.

FUNGAFLOR 75 WSG is formulated for aqueous application only; not compatible with storage or shipping waxes. Used as directed, FUNGAFLOR 75 WSG has curative and preventative action as well as anti-sporulation properties. Use of FUNGAFLOR 75 WSG should be integrated into an overall disease management program within each packinghouse.

DOSE RECOMMENDATIONS:

In dips, wash tanks and drenchers: Weigh out 9 - 13.5 ounces of FUNGAFLOR 75 WSG and dissolve in 100 gallons of water to give a treating rate of 500-750 ppm of active ingredient. The treatment solutions should be monitored to insure the proper concentration of FUNGAFLOR. Length of dip time should not exceed two minutes.

In non-recovery spray & water spray brush application: Dissolve 18 ounces of FUNGAFLOR 75 WSG in 100 gallons of water to achieve a concentration of 1000 ppm FUNGAFLOR active ingredient. Apply to freshly cleaned citrus prior to waxing.

Remark: Combinations of above-listed treatments are possible, but never more than two (2) treatments should be carried out on the same citrus lot.

NOTICE OF WARRANTY

Pace International LLC warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Pace International LLC. In no case shall Pace International LLC be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. PACE INTERNATIONAL LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

060409EPA-Notif